

From: Ann DiDonato/R3/USEPA/US
Sent: 2/7/2012 5:36:48 PM
To: "Richard Fetzer" <Fetzer.Richard@epamail.epa.gov>
CC:
Subject: Fw: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

----- Original Message -----

From: "Nance, Gene" [Gnance@TechLawInc.com]
Sent: 02/07/2012 05:35 PM EST
To: Richard Rupert; Ann DiDonato
Cc: "Graves, Suddha" <Sgraves@TechLawInc.com>
Subject: FW: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

Additional RP data, validated by ESAT.

Gene Nance
TechLaw, Inc.
740.867.0968 (office)
304.830.1442 (mobile)

-----Original Message-----

From: **Ex. 4 - CBI**
Sent: Tuesday, February 07, 2012 12:22 PM
To: Richard Fetzer
Cc: **Ex. 4 - CBI**; Nance, Gene
Subject: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

Richard Fetzer
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Dear Richard,

Attached to this message you will find electronic files containing the validation report and validated inorganic data for the Dimock Residential Groundwater site, Case # 180-2644-01, 2 samples. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 01079A

(See attached file: 180-2644-01 (2).PDF)(See attached file: 180-2644-1_Validated_General_DSF.xls)

Sincerely,

Ex. 4 - CBI

Lockheed Martin IS&GS - Civil
Energy & Environment
ESAT Region 3
701 Mapes Road
Ft. Meade, MD 20755-5350

Ex. 4 - CBI

- 180-2644-01 (2).PDF

- 180-2644-1_Validated_General_DSF.xls